

# T071 SERIES

# tekno-met

## QUICK COUPLINGS-SCHNELLKUPPLUNGEN

[www.tekno-met.com](http://www.tekno-met.com)




WATER / WASSER

PNEUMATIC / PNEUMATISCH

HYDRAULIC / HYDRAULISCH

ACCESSORIES / ZUBEHÖR



## T071 Series

DN 19 Coupling / DN 19 Kupplung

### Interchangeability / Austauschbarkeit

None

### Temperature Range / Temperaturbereich

Nitrile (N) -20°C - +100°C  
 FDM (V) -20°C - +180°C  
 EPDM (Ethylene Propylene) -40°C - +150°C

### Working Pressure / Betriebsdruck

35 Bar (510 PSI)

### Flow Size - Nennweite

T071 19 mm

### Material of Standard Version / Material für die Standardversion



Socket Body / Kupplungsgrundkörper	Brass Messing
Sleeve / Hülse	Brass Messing
Springs / Federn	Stainless Steel / Edelstahl
Balls / Kugeln	Stainless Steel / Edelstahl
Seals / Dichtung	Nitrile
Plug / Nippel	Brass Messing

### Options / Optionen

**C** : Steel / Stahl  
**S** : 303 Stainless Steel / 303 Edelstahl  
**S6**: 316L Stainless Steel / 316L Edelstahl  
**N** : Nickel Plated / Vernickelt




### Flow Rate - Pressure Drop / Durchfluss - Druckverlust



## T071 Series


tekno-met



Male Thread Socket / Kupplung mit Aussengewinde

ORDER NO / BESTELL NR. With Valve/Mit Ventil ←○→	ORDER NO / BESTELL NR. Without Valve/Ohne Ventil →→←	SIZE GRÖßE	Connection Anschlüsse	L	Ø	SW
T071 EGB 21	T071 EGF 21	19	BSP 1/2	79	42	32
T071 EGB 26	T071 EGF 26	19	BSP 3/4	81	42	32
T071 EGB 33	T071 EGF 33	19	BSP 1	83	42	36
T071 EGB 42	T071 EGF 42	19	BSP 1-1/4	85	42	46


tekno-met



Female Thread Socket / Kupplung mit Innengewinde

ORDER NO / BESTELL NR. With Valve/Mit Ventil ←○→	ORDER NO / BESTELL NR. Without Valve/Ohne Ventil →→←	SIZE GRÖßE	Connection Anschlüsse	L	Ø	SW
T071 DGB 21	T071 DGF 21	19	BSP 1/2	80	42	32
T071 DGB 26	T071 DGF 26	19	BSP 3/4	81	42	32
T071 DGB 33	T071 DGF 33	19	BSP 1	81	42	40
T071 DGB 42	T071 DGF 42	19	BSP 1-1/4	83	42	50


tekno-met



Standard Hose Tail Socket / Kupplung mit Standard - Schlauchtülle

ORDER NO / BESTELL NR. With Valve/Mit Ventil ←○→	ORDER NO / BESTELL NR. Without Valve/Ohne Ventil →→←	SIZE GRÖßE	Connection Anschlüsse	L	Ø	SW
T071 HGB 16	T071 HGF 16	19	16 mm	100	42	32
T071 HGB 19	T071 HGF 19	19	19 mm	100	42	32
T071 HGB 25	T071 HGF 25	19	25 mm	100	42	32


tekno-met



Male Thread Plug / Nippel mit Aussengewinde

ORDER NO / BESTELL NR. Without Valve/Ohne Ventil →→←	SIZE GRÖßE	Connection Anschlüsse	L	SW
T071 EUF 26	19	BSP 3/4	54	30
T071 EUF 33	19	BSP 1	57	36
T071 EUF 42	19	BSP 1-1/4	60	45


tekno-met



Female Thread Plug / Nippel mit Innengewinde

ORDER NO / BESTELL NR. Without Valve/Ohne Ventil →→←	SIZE GRÖßE	Connection Anschlüsse	L	SW
T071 DUF 26	19	BSP 3/4	51	32
T071 DUF 33	19	BSP 1	54	40
T071 DUF 42	19	BSP 1-1/4	54	50

tekno-met



Standard Hose Tail Plug / Nippel mit gerader Standard - Schlauchtülle

ORDER NO / BESTELL NR. Without Valve/Ohne Ventil →→←	SIZE GRÖßE	Connection Anschlüsse	L
T071 HUF 16	19	16 mm	51
T071 HUF 19	19	19 mm	54
T071 HUF 25	19	25 mm	54