


# T107 SERIES


# tekno-met

## QUICK COUPLINGS-SCHNELLKUPPLUNGEN


[www.tekno-met.com](http://www.tekno-met.com)



WATER / WASSER



PNEUMATIC / PNEUMATISCH



HYDRAULIC / HYDRAULISCH



ACCESSORIES / ZUBEHÖR

## T107 Series



### Dust Cap Fixing Ring (Code TFB)

Dust cap is an additional order.

### Staubkappen-Befestigungsring (Code TFB)

Staubkappen sind separat zu bestellen.

### Raised Button Code TUD)

Ease of handing the button for connection / disconnection.

### Erhöhter Druckbolzen (Code TUD)

Erhöhter Druckbolzen. Einfache Handhabung beim trennen der Verbindung.

### Standard Types Material

Socket body: AISI 303 stainless steel  
others are mostly %17 choremium steel  
Socket back adaptor, Steel Zink Plared

### A Types Material

Socket body: AISI 303 stainless steel  
Socket back adaptor: AISI 303 stainless steel  
Plug body and push button high resistance stainless steel  
Others parts mainly AISI 316L stainless steel

### E1 - D1 Types Material

Socket body: AISI 303 stainless steel  
Socket back adaptor: AISI 303 stainless steel  
Others parts mainly AISI 316L stainless steel  
Plug body and push button high resistance stainless steel

### C Types Material

Socket body: AISI 316L stainless steel  
Plug body and push button high resistance stainless steel

### B Types Material

AISI 316L stainless steel

### Z Types Vacuum

Vacuum tightness  $1.10^3 \text{ cm}^3/\text{s}$   
in connected and disconnected position

### Standardtypen Material

Kupplung Grundkörper aus Edelstahl AISI 303  
andere sind meist %17 Chromsthal  
Kupplung Hinterteil: Sthal verzinkt

### A Typen Material

Kupplung Grundkörper: AISI 303 Edelstahl  
Kupplung Hinterteil: AISI 303 Edelstahl  
NippelGrundkörper und Druckbolzen aus  
winderstandsfähigen Edelstahl

### E1 - D1 Typen Material

Kupplung Grundkörper: AISI 303 Edelstahl  
Kupplung Hinterteil: AISI 303 Edelstahl  
Andere Teile hauptsächlich aus Edelstahl AISI 316L  
NippelGrundkörper und Druckbolzen aus  
winderstandsfähigen Edelstahl

### C Typen Material

Kupplung Grundkörper: AISI 303 Edelstahl  
NippelGrundkörper und Druckbolzen aus  
winderstandsfähigen Edelstahl

### B Typen Material

Edelsthal AISI 316L



### Z Typen Vakuum

Vakuumdichtigkeit  $1.10^3 \text{ cm}^3/\text{s}$   
in Verbindung und Trennung.

## T107 Series

Nominal Ø Nennweite Ø	Flow Area Fläche	Maximum Working Pressure (Bar) - Maximaler Betriebsdruck (Bar)						
		Standart Type	A Type	B Type	E1 Type	D1 Type	C Type	Z type
3 mm	7 mm	50	50	15	400	400	400	10 <sup>-3</sup> lοπ
5.5 mm	24 mm	50	50	15	450	450	450	10 <sup>-3</sup> lοπ
8 mm	50 mm	50	50	15	400	400	400	10 <sup>-3</sup> lοπ
11 mm	95 mm	50	50	15	350	350	350	10 <sup>-3</sup> lοπ
19 mm	284 mm	50	50	15	300	300	300	10 <sup>-3</sup> lοπ


Hydraulic charts flow rate Pressure drop  
Durchflussdiagramm Hydraulik Druckabfall



## T107 Series




Male Thread Socket / Kupplung mit Aussengewinde



ORDER NO / BESTELL NR. With Valve/Mit Ventil → ←	ORDER NO / BESTELL NR. Without Valve/Ohne Ventil → ←	ORDER NO / BESTELL NR. Double Valve/Doppelt Ventil → ← →	SIZE GRÖßE	ØD1	ØD2	L1	L2	Hex
T107 03 EGB 10	T107 03 EGF 10	T107 03 EGI 10	3	BSP 1/8	16	42	8	14
T107 03 EGB 13	T107 03 EGF 13	T107 03 EGI 13	3	BSP 1/4	16	45	11	14
T107 03 TGB 10	T107 03 TGF 10	T107 03 TGI 10	3	NPT 1/8	16	44	10	14
T107 03 TGB 13	T107 03 TGF 13	T107 03 TGI 13	3	NPT 1/4	16	45	11	14
T107 06 EGB 10	T107 06 EGF 10	T107 06 EGI 10	6	BSP 1/8	26	54	8	22
T107 06 EGB 13	T107 06 EGF 13	T107 06 EGI 13	6	BSP 1/4	26	61	11	22
T107 06 EGB 17	T107 06 EGF 17	T107 06 EGI 17	6	BSP 3/8	26	61	11	22
T107 06 EGB 21	T107 06 EGF 21	T107 06 EGI 21	6	BSP 1/2	26	64	14	24
T107 06 TGB 10	T107 06 TGF 10	T107 06 TGI 10	6	NPT 1/8	26	58	10	22
T107 06 TGB 13	T107 06 TGF 13	T107 06 TGI 13	6	NPT 1/4	26	61	11	22
T107 06 TGB 17	T107 06 TGF 17	T107 06 TGI 17	6	NPT 3/8	26	62	12	22
T107 08 EGB 13	T107 08 EGF 13	T107 08 EGI 13	8	BSP 1/4	32	71	11	27
T107 08 EGB 17	T107 08 EGF 17	T107 08 EGI 17	8	BSP 3/8	32	71	11	27
T107 08 EGB 21	T107 08 EGF 21	T107 08 EGI 21	8	BSP 1/2	32	75	14	27
T107 08 TGB 13	T107 08 TGF 13	T107 08 TGI 13	8	NPT 1/4	32	72	12	27
T107 08 TGB 17	T107 08 TGF 17	T107 08 TGI 17	8	NPT 3/8	32	72	12	27
T107 08 TGB 21	T107 08 TGF 21	T107 08 TGI 21	8	NPT 1/2	32	77	17	27
T107 11 EGB 17	T107 11 EGF 17	T107 11 EGI 17	11	BSP 3/8	38	84	12	32
T107 11 EGB 21	T107 11 EGF 21	T107 11 EGI 21	11	BSP 1/2	38	88	16	32
T107 11 EGB 26	T107 11 EGF 26	T107 11 EGI 26	11	BSP 3/4	38	90	18	32
T107 11 TGB 17	T107 11 TGF 17	T107 11 TGI 17	11	NPT 3/8	38	84	12	32
T107 11 TGB 21	T107 11 TGF 21	T107 11 TGI 21	11	NPT 1/2	38	89	17	32
T107 11 TGB 26	T107 11 TGF 26	T107 11 TGI 26	11	NPT 3/4	38	91	19	34
T107 19 EGB 26	T107 19 EGF 26	T107 19 EGI 26	19	BSP 3/4	55	124	18	46
T107 19 EGB 33	T107 19 EGF 33	T107 19 EGI 33	19	BSP 1	55	126	20	46
T107 19 TGB 26	T107 19 TGF 26	T107 19 TGI 26	19	NPT 3/4	55	123	19	46
T107 19 TGB 33	T107 19 TGF 33	T107 19 TGI 33	19	NPT 1	55	125	22	46



Female Thread Socket / Kupplung mit Innengewinde




ORDER NO / BESTELL NR. With Valve/Mit Ventil → ←	ORDER NO / BESTELL NR. Without Valve/Ohne Ventil → ←	ORDER NO / BESTELL NR. Double Valve/Doppelt Ventil → ← →	SIZE GRÖßE	ØD1	ØD2	L1	Hex
T107 03 DGB 10	T107 03 DGF 10	T107 03 DGI 10	3	BSP 1/8	16	43	14
T107 03 NGB 10	T107 03 NGF 10	T107 03 NGI 10	3	NPT 1/8	16	43	14
T107 03 UGB 1120	T107 03 UGF 1120	T107 03 UGI 1120	3	UNF 7/16-20	16	47	14
T107 06 DGB 10	T107 06 DGF 10	T107 06 DGI 10	6	BSP 1/8	26	53	22
T107 06 DGB 13	T107 06 DGF 13	T107 06 DGI 13	6	BSP 1/4	26	53	22
T107 06 DGB 17	T107 06 DGF 17	T107 06 DGI 17	6	BSP 3/8	26	57	22
T107 06 DGB 21	T107 06 DGF 21	T107 06 DGI 21	6	BSP 1/2	26	61	24
T107 06 NGB 10	T107 06 NGF 10	T107 06 NGI 10	6	NPT 1/8	26	53	22
T107 06 NGB 13	T107 06 NGF 13	T107 06 NGI 13	6	NPT 1/4	26	54	22
T107 06 NGB 17	T107 06 NGF 17	T107 06 NGI 17	6	NPT 3/8	26	57	22
T107 06 UGB 1418	T107 06 UGF 1916	T107 06 UGI 1916	6	UN 9/16-18	26	60	22
T107 08 DGB 13	T107 08 DGF 13	T107 08 DGI 13	8	BSP 1/4	32	65	27
T107 08 DGB 17	T107 08 DGF 17	T107 08 DGI 17	8	BSP 3/8	32	65	27
T107 08 DGB 21	T107 08 DGF 21	T107 08 DGI 21	8	BSP 1/2	32	74	27
T107 08 NGB 13	T107 08 NGF 13	T107 08 NGI 13	8	NPT 1/4	32	66	27
T107 08 NGB 17	T107 08 NGF 17	T107 08 NGI 17	8	NPT 3/8	32	66	27
T107 08 NGB 21	T107 08 NGF 21	T107 08 NGI 21	8	NPT 1/2	32	74	27
T107 08 UGB 1916	T107 08 UGF 1916	T107 08 UGI 1916	8	UN 3/4-16	32	76	27
T107 11 DGB 17	T107 11 DGF 17	T107 11 DGI 17	11	BSP 3/8	38	76	32
T107 11 DGB 21	T107 11 DGF 21	T107 11 DGI 21	11	BSP 1/2	38	78	32
T107 11 DGB 26	T107 11 DGF 26	T107 11 DGI 26	11	BSP 3/4	38	85	34
T107 11 NGB 17	T107 11 NGF 17	T107 11 NGI 17	11	NPT 3/8	38	76	32
T107 11 NGB 21	T107 11 NGF 21	T107 11 NGI 21	11	NPT 1/2	38	78	32
T107 11 NGB 26	T107 11 NGF 26	T107 11 NGI 26	11	NPT 3/4	38	85	34
T107 11 UGB 2214	T107 11 UGF 2214	T107 11 UGI 2214	11	UN 7/8-14	38	85	32
T107 19 DGB 26	T107 19 DGF 26	T107 19 DGI 26	19	BSP 3/4	55	115	46
T107 19 DGB 33	T107 19 DGF 33	T107 19 DGI 33	19	BSP 1	55	115	46
T107 19 NGB 26	T107 19 NGF 26	T107 19 NGI 26	19	NPT 3/4	55	115	46
T107 19 NGB 33	T107 19 NGF 33	T107 19 NGI 33	19	NPT 1	55	115	46
T107 19 UGB 3312	T107 19 UGF 3312	T107 19 UGI 3312	19	UN1-5/16-12	55	128	46

## T107 Series




Standard Hose Tail Socket/ Kupplung mit gerader Standard - Schlauchtülle



ORDER NO / BESTELL NR. With Valve/Mit Ventil -O-O-	ORDER NO / BESTELL NR. Without Valve/Ohne Ventil -O-O-	ORDER NO / BESTELL NR. Double Valve/Doppelt Ventil -O-O-O-	SIZE GRÖßE	ØD2	ØD1	L1	L2	Hex
T107 03 HGB 04	T107 03 HGF 04	T107 03 HGI 04	3	4,5 mm	16	52	18	14
T107 03 HGB 06	T107 03 HGF 06	T107 03 HGI 06	3	6 mm	16	52	18	14
T107 06 HGB 06	T107 06 HGF 06	T107 06 HGI 06	6	6 mm	26	69	23	22
T107 06 HGB 08	T107 06 HGF 08	T107 06 HGI 08	6	8 mm	26	69	23	22
T107 06 HGB 10	T107 06 HGF 10	T107 06 HGI 10	6	10 mm	26	69	23	22
T107 06 HGB 13	T107 06 HGF 13	T107 06 HGI 13	6	13 mm	26	72	26	22
T107 08 HGB 06	T107 08 HGF 06	T107 08 HGI 06	8	6 mm	32	81	23	27
T107 08 HGB 08	T107 08 HGF 08	T107 08 HGI 08	8	8 mm	32	81	23	27
T107 08 HGB 10	T107 08 HGF 10	T107 08 HGI 10	8	10 mm	32	81	23	27
T107 08 HGB 13	T107 08 HGF 13	T107 08 HGI 13	8	13 mm	32	84	26	27
T107 11 HGB 08	T107 11 HGF 08	T107 11 HGI 08	11	8 mm	38	92	23	32
T107 11 HGB 10	T107 11 HGF 10	T107 11 HGI 10	11	10 mm	38	92	23	32
T107 11 HGB 13	T107 11 HGF 13	T107 11 HGI 13	11	13 mm	38	92	26	32
T107 11 HGB 16	T107 11 HGF 16	T107 11 HGI 16	11	16 mm	38	95	26	32
T107 11 HGB 19	T107 11 HGF 19	T107 11 HGI 19	11	19 mm	38	102	33	32
T107 19 HGB 19	T107 19 HGF 19	T107 19 HGI 19	19	19 mm	55	125	37	46
T107 19 HGB 25	T107 25 HGF 25	T107 25 HGI 25	19	25 mm	55	140	50	46




Plastic Hose Coupling/ Kunststoffschlauch



ORDER NO / BESTELL NR. With Valve/Mit Ventil -O-O-	ORDER NO / BESTELL NR. Without Valve/Ohne Ventil -O-O-	ORDER NO / BESTELL NR. Double Valve/Doppelt Ventil -O-O-O-	SIZE GRÖßE	ØD2	ØD1	L1	Hex
T107 03 PGB 0406	T107 03 PGF 0406	T107 03 PGI 0406	3	4x6 mm	16	48	14
T107 03 PGB 0608	T107 03 PGF 0608	T107 03 PGI 0608	3	6x8 mm	16	48	14
T107 06 PGB 0608	T107 06 PGF 0608	T107 06 PGI 0608	6	6x8 mm	26	65	22
T107 06 PGB 0810	T107 06 PGF 0810	T107 06 PGI 0810	6	8x10 mm	26	65	22
T107 08 PGB 0810	T107 08 PGF 0810	T107 08 PGI 0810	8	8x10 mm	32	80	27
T107 08 PGB 1012	T107 08 PGF 1012	T107 08 PGI 1012	8	10x12 mm	32	80	27



Copper Tube Connection Coupling/Kupplung mit Kupfer Rohrschluss-Schottanschluss



ORDER NO / BESTELL NR. With Valve/Mit Ventil -O-O-	ORDER NO / BESTELL NR. Without Valve/Ohne Ventil -O-O-	ORDER NO / BESTELL NR. Double Valve/Doppelt Ventil -O-O-O-	SIZE GRÖßE	ØD2	ØD1	L1	Hex
T107 03 CGB 04	T107 03 CGB 04	T107 03 CGB 04	3	4x6 mm	16	42	14
T107 03 CGB 06	T107 03 CGB 06	T107 03 CGB 06	3	6x8 mm	16	42	14
T107 06 CGB 06	T107 06 CGB 06	T107 06 CGB 06	6	6x8 mm	26	60	22
T107 06 CGB 08	T107 06 CGB 08	T107 06 CGB 08	6	8x10 mm	26	60	22
T107 08 CGB 08	T107 08 CGB 08	T107 08 CGB 08	8	8x10 mm	32	70	27
T107 08 CGB 10	T107 08 CGB 10	T107 08 CGB 10	8	10x12 mm	32	70	27



Stainless Steel Tube Connection Coupling/Kupplung mit Edelstahlrohranschluss



ORDER NO / BESTELL NR. With Valve/Mit Ventil -O-O-	ORDER NO / BESTELL NR. Without Valve/Ohne Ventil -O-O-	ORDER NO / BESTELL NR. Double Valve/Doppelt Ventil -O-O-O-	SIZE GRÖßE	ØD2	ØD1	L1	Hex
T107 06 SGB 06	T107 06 SGB 06	T107 06 SGB 06	6	6 mm	26	60	22
T107 06 SGB 08	T107 06 SGB 08	T107 06 SGB 08	6	8 mm	26	60	22
T107 06 SGB 10	T107 06 SGB 10	T107 06 SGB 10	6	10 mm	26	60	22
T107 08 SGB 10	T107 08 SGB 10	T107 08 SGB 10	8	10 mm	32	70	27
T107 08 SGB 12	T107 08 SGB 12	T107 08 SGB 12	8	12 mm	32	70	27

## T107 Series



Panel Mounted Male Coupling/Kupplung mit Aussengewinde Schottanschluss



ORDER NO / BESTELL NR. With Valve/Mit Ventil	ORDER NO / BESTELL NR. Without Valve/Ohne Ventil	ORDER NO / BESTELL NR. Double Valve/Doppelt Ventil	SIZE GRÖßE	ØD1	ØD2	L1	L2	L3	Hex
T107 03 EGBM 10	T107 03 EGFM 10	T107 03 EGIM 10	3	BSP 1/8	16	42	8	18	19
T107 03 EGBM 13	T107 03 EGFM 13	T107 03 EGIM 13	3	BSP 1/4	16	45	11	18	19
T107 03 TGBM 10	T107 03 TGFM 10	T107 03 TGIM 10	3	NPT 1/8	16	44	10	18	19
T107 03 TGBM 13	T107 03 TGFM 13	T107 03 TGIM 13	3	NPT 1/4	16	45	11	18	19
T107 06 EGBM 10	T107 06 EGFM 10	T107 06 EGIM 10	6	BSP 1/8	26	54	8	26	32
T107 06 EGBM 13	T107 06 EGFM 13	T107 06 EGIM 13	6	BSP 1/4	26	61	11	26	32
T107 06 EGBM 17	T107 06 EGFM 17	T107 06 EGIM 17	6	BSP 3/8	26	61	11	26	32
T107 06 EGBM 21	T107 06 EGFM 21	T107 06 EGIM 21	6	BSP 1/2	26	64	14	26	32
T107 06 TGBM 10	T107 06 TGFM 10	T107 06 TGIM 10	6	NPT 1/8	26	58	10	26	32
T107 06 TGBM 13	T107 06 TGFM 13	T107 06 TGIM 13	6	NPT 1/4	26	61	11	26	32
T107 06 TGBM 17	T107 06 TGFM 17	T107 06 TGIM 17	6	NPT 3/8	26	62	12	26	32
T107 08 EGBM 13	T107 08 EGFM 13	T107 08 EGIM 13	8	BSP 1/4	32	71	11	31	36
T107 08 EGBM 17	T107 08 EGFM 17	T107 08 EGIM 17	8	BSP 3/8	32	71	11	31	36
T107 08 EGBM 21	T107 08 EGFM 21	T107 08 EGIM 21	8	BSP 1/2	32	75	14	31	36
T107 08 TGBM 13	T107 08 TGFM 13	T107 08 TGIM 13	8	NPT 1/4	32	72	12	31	36
T107 08 TGBM 17	T107 08 TGFM 17	T107 08 TGIM 17	8	NPT 3/8	32	72	12	31	36
T107 08 TGBM 21	T107 08 TGFM 21	T107 08 TGIM 21	8	NPT 1/2	32	77	17	31	36
T107 11 EGBM 17	T107 11 EGFM 17	T107 11 EGIM 17	11	BSP 3/8	38	84	12	37	41
T107 11 EGBM 21	T107 11 EGFM 21	T107 11 EGIM 21	11	BSP 1/2	38	88	16	37	41
T107 11 EGBM 26	T107 11 EGFM 26	T107 11 EGIM 26	11	BSP 3/4	38	90	18	37	41
T107 11 TGBM 17	T107 11 TGFM 17	T107 11 TGIM 17	11	NPT 3/8	38	84	12	37	41
T107 11 TGBM 21	T107 11 TGFM 21	T107 11 TGIM 21	11	NPT 1/2	38	89	17	37	41
T107 11 TGBM 26	T107 11 TGFM 26	T107 11 TGIM 26	11	NPT 3/4	38	91	19	37	41
T107 19 EGBM 26	T107 19 EGFM 26	T107 19 EGIM 26	19	BSP 3/4	55	124	18	53	60
T107 19 EGBM 33	T107 19 EGFM 33	T107 19 EGIM 33	19	BSP 1	55	126	20	53	60
T107 19 TGBM 26	T107 19 TGFM 26	T107 19 TGIM 26	19	NPT 3/4	55	123	19	53	60
T107 19 TGBM 33	T107 19 TGFM 33	T107 19 TGIM 33	19	NPT 1	55	125	22	53	60



Panel Mounted Female Coupling/Kupplung mit Innengewinde Schottanschluss




ORDER NO / BESTELL NR. With Valve/Mit Ventil	ORDER NO / BESTELL NR. Without Valve/Ohne Ventil	ORDER NO / BESTELL NR. Double Valve/Doppelt Ventil	SIZE GRÖßE	ØD1	ØD2	L1	L2	Hex
T107 03 DGBM 10	T107 03 DGFM 10	T107 03 DGIM 10	3	BSP 1/8	16	43	18	19
T107 03 NGBM 10	T107 03 NGFM 10	T107 03 NGIM 10	3	NPT 1/8	16	43	18	19
T107 03 UGBM 1120	T107 03 UGFM 1120	T107 03 UGIM 1120	3	UNF 7/16-20	16	47	18	19
T107 06 DGBM 10	T107 06 DGFM 10	T107 06 DGIM 10	6	BSP 1/8	26	53	26	32
T107 06 DGBM 13	T107 06 DGFM 13	T107 06 DGIM 13	6	BSP 1/4	26	53	26	32
T107 06 DGBM 17	T107 06 DGFM 17	T107 06 DGIM 17	6	BSP 3/8	26	57	26	32
T107 06 DGBM 21	T107 06 DGFM 21	T107 06 DGIM 21	6	BSP 1/2	26	61	26	32
T107 06 NGBM 10	T107 06 NGFM 10	T107 06 NGIM 10	6	NPT 1/8	26	53	26	32
T107 06 NGBM 13	T107 06 NGFM 13	T107 06 NGIM 13	6	NPT 1/4	26	54	26	32
T107 06 NGBM 17	T107 06 NGFM 17	T107 06 NGIM 17	6	NPT 3/8	26	57	26	32
T107 06 UGBM 1418	T107 06 UGFM 1418	T107 06 UGIM 1418	6	UNF 9/16-18	26	60	26	32
T107 08 DGBM 13	T107 08 DGFM 13	T107 08 DGIM 13	8	BSP 1/4	32	65	31	36
T107 08 DGBM 17	T107 08 DGFM 17	T107 08 DGIM 17	8	BSP 3/8	32	65	31	36
T107 08 DGBM 21	T107 08 DGFM 21	T107 08 DGIM 21	8	BSP 1/2	32	74	31	36
T107 08 NGBM 13	T107 08 NGFM 13	T107 08 NGIM 13	8	NPT 1/4	32	66	31	36
T107 08 NGBM 17	T107 08 NGFM 17	T107 08 NGIM 17	8	NPT 3/8	32	66	31	36
T107 08 NGBM 21	T107 08 NGFM 21	T107 08 NGIM 21	8	NPT 1/2	32	74	31	36
T107 08 UGBM 1916	T107 08 UGFM 1916	T107 08 UGIM 1916	8	UNF 3/4-16	32	76	31	36
T107 11 DGBM 17	T107 11 DGFM 17	T107 11 DGIM 17	11	BSP 3/8	38	76	37	41
T107 11 DGBM 21	T107 11 DGFM 21	T107 11 DGIM 21	11	BSP 1/2	38	78	37	41
T107 11 DGBM 26	T107 11 DGFM 26	T107 11 DGIM 26	11	BSP 3/4	38	85	37	41
T107 11 NGBM 17	T107 11 NGFM 17	T107 11 NGIM 17	11	NPT 3/8	38	76	37	41
T107 11 NGBM 21	T107 11 NGFM 21	T107 11 NGIM 21	11	NPT 1/2	38	78	37	41
T107 11 NGBM 26	T107 11 NGFM 26	T107 11 NGIM 26	11	NPT 3/4	38	85	37	41
T107 11 UGBM 2214	T107 11 UGFM 2214	T107 11 UGIM 2214	11	UNF 7/8-14	38	85	37	41
T107 19 DGBM 26	T107 19 DGFM 26	T107 19 DGIM 26	19	BSP 3/4	55	115	53	60
T107 19 DGBM 33	T107 19 DGFM 33	T107 19 DGIM 33	19	BSP 1	55	115	53	60
T107 19 NGBM 26	T107 19 NGFM 26	T107 19 NGIM 26	19	NPT 3/4	55	115	53	60
T107 19 NGBM 33	T107 19 NGFM 33	T107 19 NGIM 33	19	NPT 1	55	115	53	60
T107 19 UGBM 3312	T107 19 UGFM 3312	T107 19 UGIM 3312	19	UNF1-5/16-12	55	128	53	60

## T107 Series

tekno-met


Panel Mounted Standard Hose Coupling/Kupplung mit gerader Standard - Schlauchülle Schottanschluss



ORDER NO / BESTELL NR. With Valve/Mit Ventil ○→←	ORDER NO / BESTELL NR. Without Valve/Ohne Ventil →←	ORDER NO / BESTELL NR. Double Valve/Doppelt Ventil ○→←○	SIZE GRÖßE	ØD2	ØD1	L1	L2	Hex
T107 03 HGBM 04	T107 03 HGFM 04	T107 03 HGIM 04	3	4,5 mm	16	57	18	19
T107 03 HGBM 06	T107 03 HGFM 06	T107 03 HGIM 06	3	6 mm	16	57	18	19
T107 06 HGBM 06	T107 06 HGFM 06	T107 06 HGIM 06	6	6 mm	26	69	25	32
T107 06 HGBM 08	T107 06 HGFM 08	T107 06 HGIM 08	6	8 mm	26	69	25	32
T107 06 HGBM 10	T107 06 HGFM 10	T107 06 HGIM 10	6	10 mm	26	69	25	32
T107 06 HGBM 13	T107 06 HGFM 13	T107 06 HGIM 13	6	13 mm	26	72	25	32
T107 08 HGBM 06	T107 08 HGFM 06	T107 08 HGIM 06	8	6 mm	32	86	31	36
T107 08 HGBM 08	T107 08 HGFM 08	T107 08 HGIM 08	8	8 mm	32	86	31	36
T107 08 HGBM 10	T107 08 HGFM 10	T107 08 HGIM 10	8	10 mm	32	88	31	36
T107 08 HGBM 13	T107 08 HGFM 13	T107 08 HGIM 13	8	13 mm	32	91	31	36
T107 11 HGBM 08	T107 11 HGFM 08	T107 11 HGIM 08	11	8 mm	38	95	37	41
T107 11 HGBM 10	T107 11 HGFM 10	T107 11 HGIM 10	11	10 mm	38	95	37	41
T107 11 HGBM 13	T107 11 HGFM 13	T107 11 HGIM 13	11	13 mm	38	97	37	41
T107 11 HGBM 16	T107 11 HGFM 16	T107 11 HGIM 16	11	16 mm	38	102	37	41
T107 11 HGBM 19	T107 11 HGFM 19	T107 11 HGIM 19	11	19 mm	38	102	37	41
T107 19 HGBM 19	T107 19 HGFM 19	T107 19 HGIM 19	19	19 mm	55	177	53	60
T107 19 HGBM 25	T107 19 HGFM 25	T107 19 HGIM 25	19	25 mm	55	179	53	60

tekno-met

Panel Mounted Plastic Hose Connection Coupling/Kupplung mit Kunststoffschöchanschluss-Schottanschluss



ORDER NO / BESTELL NR. With Valve/Mit Ventil ○→←	ORDER NO / BESTELL NR. Without Valve/Ohne Ventil →←	ORDER NO / BESTELL NR. Double Valve/Doppelt Ventil ○→←○	SIZE GRÖßE	ØD2	ØD1	L1	L2	Hex
T107 03 PGBM 0406	T107 03 PGFM 0406	T107 03 PGIM 0406	3	4x6 mm	16	48	18	19
T107 03 PGBM 0608	T107 03 PGFM 0608	T107 03 PGIM 0608	3	6x8 mm	16	48	18	19
T107 06 PGBM 0608	T107 06 PGFM 0608	T107 06 PGIM 0608	6	6x8 mm	26	74	25	32
T107 06 PGBM 0810	T107 06 PGFM 0810	T107 06 PGIM 0810	6	8x10 mm	26	74	25	32
T107 08 PGBM 0810	T107 08 PGFM 0810	T107 08 PGIM 0810	8	8x10 mm	32	88	31	36
T107 08 PGBM 1012	T107 08 PGFM 1012	T107 08 PGIM 1012	8	10x12 mm	32	88	31	36

tekno-met

Panel Mounted Copper Tube Connection Coupling/Kupplung mit Kupfer Rohrschluss-Schottanschluss



ORDER NO / BESTELL NR. With Valve/Mit Ventil ○→←	ORDER NO / BESTELL NR. Without Valve/Ohne Ventil →←	ORDER NO / BESTELL NR. Double Valve/Doppelt Ventil ○→←○	SIZE GRÖßE	ØD2	ØD1	L1	L2	Hex
T107 03 CGBM 04	T107 03 CGFM 04	T107 03 CGIM 04	3	4x6 mm	16	48	18	19
T107 03 CGBM 06	T107 03 CGFM 06	T107 03 CGIM 06	3	6x8 mm	16	48	18	19
T107 06 CGBM 06	T107 06 CGFM 06	T107 06 CGIM 06	6	6x8 mm	26	76	25	32
T107 06 CGBM 08	T107 06 CGFM 08	T107 06 CGIM 08	6	8x10 mm	26	76	25	32
T107 06 CGBM 10	T107 06 CGFM 10	T107 06 CGIM 10	6	10x12 mm	26	76	25	32
T107 08 CGBM 08	T107 08 CGFM 08	T107 08 CGIM 08	8	8x10 mm	32	89	31	36
T107 08 CGBM 10	T107 08 CGFM 10	T107 08 CGIM 10	8	10x12 mm	32	93	31	36

tekno-met

Panel Mounted Stainless Steel Connection Coupling/Kupplung mit Edelstahlrohrschluss-Schottanschluss




ORDER NO / BESTELL NR. With Valve/Mit Ventil ○→←	ORDER NO / BESTELL NR. Without Valve/Ohne Ventil →←	ORDER NO / BESTELL NR. Double Valve/Doppelt Ventil ○→←○	SIZE GRÖßE	ØD2	ØD1	L1	L2	Hex
T107 06 SGBM 06	T107 06 SGFM 06	T107 06 SGIM 06	6	6 mm	26	77	25	32
T107 06 SGBM 08	T107 06 SGFM 08	T107 06 SGIM 08	6	8 mm	26	77	25	32
T107 08 SGBM 10	T107 08 SGFM 10	T107 08 SGIM 10	8	10 mm	32	80	31	36
T107 08 SGBM 12	T107 08 SGFM 12	T107 08 SGIM 12	8	12 mm	32	81	31	36

## T107 Series

**tekno-met**


Male Thread Plug / Nippel mit Aussengewinde



ORDER NO / BESTELL NR. Without Valve/Ohne Ventil	SIZE GRÖÖE	ØD2	ØD1	L1	L2	Hex
T107 03 EUF 10	3	BSP 1/8	7,3	37	8	14
T107 03 EUF 13	3	BSP 1/4	7,3	40	11	14
T107 03 TUF 10	3	NPT 1/8	7,3	38	9	14
T107 03 TUF 13	3	NPT 1/4	7,3	41	12	14
T107 06 EUF 10	6	BSP 1/8	9,6	44	8	14
T107 06 EUF 13	6	BSP 1/4	9,6	47	11	14
T107 06 EUF 17	6	BSP 3/8	9,6	52	12	19
T107 06 TUF 10	6	NPT 1/8	9,6	45	9	14
T107 06 TUF 13	6	NPT 1/4	9,6	47	12	14
T107 06 TUF 17	6	NPT 3/8	9,6	53	14	19
T107 08 EUF 13	8	BSP 1/4	13,6	55	11	17
T107 08 EUF 17	8	BSP 3/8	13,6	57	12	19
T107 08 EUF 21	8	BSP 1/2	13,6	61	14	24
T107 08 TUF 13	8	NPT 1/4	13,6	57	12	17
T107 08 TUF 17	8	NPT 3/8	13,6	57	12	19
T107 08 TUF 21	8	NPT 1/2	13,6	64	17	24
T107 11 EUF 17	11	BSP 3/8	16,6	63	12	19
T107 11 EUF 21	11	BSP 1/2	16,6	68	15	24
T107 11 EUF 26	11	BSP 3/4	16,6	70	17	30
T107 11 TUF 17	11	NPT 3/8	16,6	62	12	19
T107 11 TUF 21	11	NPT 1/2	16,6	67	17	24
T107 11 TUF 26	11	NPT 3/4	16,6	70	19	27
T107 19 EUF 26	19	BSP 3/4	25,6	95	14	36
T107 19 EUF 33	19	BSP 1	25,6	99	18	36
T107 19 TUF 26	19	NPT 3/4	25,6	100	19	36
T107 19 TUF 33	19	NPT 1	25,6	105	24	36

**tekno-met**

Female Thread Plug / Nippel mit Innengewinde




ORDER NO / BESTELL NR. Without Valve/Ohne Ventil	SIZE GRÖÖE	ØD2	ØD1	L1	Hex
T107 03 DUF 10	3	BSP 1/8	7,3	35	13
T107 03 NUF 10	3	NPT 1/8	7,3	35	13
T107 06 DUF 10	6	BSP 1/8	9,6	42	14
T107 06 DUF 13	6	BSP 1/4	9,6	47	17
T107 06 DUF 17	6	BSP 3/8	9,6	50	22
T107 06 NUF 10	6	NPT 1/8	9,6	44	14
T107 06 NUF 13	6	NPT 1/4	9,6	48	17
T107 06 NUF 17	6	NPT 3/8	9,6	50	22
T107 06 UUF 1420	6	UN 9/16-20	9,6	52	19
T107 06 DUF 1412	6	M 14x1,25	9,6	20	19
T107 08 DUF 13	8	BSP 1/4	13,6	56	17
T107 08 DUF 17	8	BSP 3/8	13,6	58	22
T107 08 DUF 21	8	BSP 1/2	13,6	59	27
T107 08 NUF 13	8	NPT 1/4	13,6	57	17
T107 08 NUF 17	8	NPT 3/8	13,6	58	22
T107 08 NUF 21	8	NPT 1/2	13,6	59	27
T107 11 DUF 13	11	BSP 1/4	16,6	57	19
T107 11 DUF 17	11	BSP 3/8	16,6	62	22
T107 11 DUF 21	11	BSP 1/2	16,6	66	27
T107 11 DUF 26	11	BSP 3/4	16,6	69	32
T107 11 NUF 17	11	NPT 3/8	16,6	62	22
T107 11 NUF 21	11	NPT 1/2	16,6	67	27
T107 11 NUF 26	11	NPT 3/4	16,6	69	32
T107 19 DUF 21	19	BSP 3/4	25,6	89	36
T107 19 DUF 21	19	BSP 1	25,6	94	41
T107 19 NUF 21	19	NPT 3/4	25,6	89	36
T107 19 NUF 21	19	NPT 1	25,6	94	41

## T107 Series

**tekno-met**


Standard Hose Tail Plug/ Nippel mit gerader Standard - Schlauchtülle



ORDER NO / BESTELL NR. Without Valve/Ohne Ventil	SIZE GRÖßE	ØD2	ØD1	L1	L2
T107 03 HUF 04	3	4 mm	7,3	48	23
T107 03 HUF 06	3	6 mm	7,3	48	23
T107 06 HUF 04	6	4 mm	9,6	62	23
T107 06 HUF 06	6	6 mm	9,6	62	23
T107 06 HUF 08	6	8 mm	9,6	62	26
T107 06 HUF 10	6	10 mm	9,6	62	26
T107 06 HUF 13	6	13 mm	9,6	64	28
T107 08 HUF 06	8	6 mm	13,6	66	28
T107 08 HUF 08	8	8 mm	13,6	66	28
T107 08 HUF 10	8	10 mm	13,6	66	28
T107 08 HUF 13	8	13 mm	13,6	66	28
T107 08 HUF 16	8	16 mm	13,6	70	33
T107 11 HUF 06	11	6 mm	16,6	70	26
T107 11 HUF 08	11	8 mm	16,6	70	26
T107 11 HUF 10	11	10 mm	16,6	70	26
T107 11 HUF 13	11	13 mm	16,6	72	28
T107 11 HUF 16	11	16 mm	16,6	72	28
T107 11 HUF 19	11	19 mm	16,6	80	33
T107 19 HUF 19	19	19 mm	25,6	151	53
T107 19 HUF 25	19	25 mm	25,6	153	53

**tekno-met**


Plastic Hose Plug/ Nippel mit Kunststoffschlauch



ORDER NO / BESTELL NR. Without Valve/Ohne Ventil	SIZE GRÖßE	ØD1	ØD2	L1	Hex
T107 03 PUF 0406	3	4x6 mm	7,3	42	14
T107 03 PUF 0608	3	6x8 mm	7,3	42	14
T107 06 PUF 0406	6	4x6 mm	9,6	50	14
T107 06 PUF 0608	6	6x8 mm	9,6	51	14
T107 06 PUF 0810	6	8x10 mm	9,6	52	17
T107 08 PUF 0810	8	8x10 mm	13,6	82	19
T107 08 PUF 1012	8	10x12 mm	13,6	82	19

**tekno-met**


Copper Tube Plug/ Nippel mit Kupferrohranschluss



ORDER NO / BESTELL NR. Without Valve/Ohne Ventil	SIZE GRÖßE	ØD1	ØD2	L1	Hex
T107 03 CUF 04	3	4x6 mm	7,3	42	14
T107 03 CUF 06	3	6x8 mm	7,3	42	14
T107 06 CUF 06	6	6x8 mm	9,6	74	14
T107 06 CUF 08	6	8x10 mm	9,6	74	17
T107 08 CUF 08	8	8x10 mm	13,6	81	19
T107 08 CUF 10	8	10x12 mm	13,6	87	24


**tekno-met**

Stainless Steel Tube Plug/ Nippel mit Edelstahlrohranschluss



ORDER NO / BESTELL NR. Without Valve/Ohne Ventil	SIZE GRÖßE	ØD1	ØD2	L1	Hex
T107 03 SUF 06	3	6 mm	7,3	42	14
T107 03 SUF 08	3	8 mm	7,3	42	14
T107 06 SUF 06	6	6 mm	9,6	70	14
T107 06 SUF 08	6	8 mm	9,6	70	14
T107 06 SUF 10	6	10 mm	9,6	70	17
T107 08 SUF 10	8	10 mm	13,6	70	24
T107 08 SUF 12	8	12 mm	13,6	71	24

## T107 Series




ORDER NO / BESTELL NR. Double Valve/Doppelt Ventil -O+O-	SIZE GRÖßE	ØD2	ØD1	L1	L2	Hex
T107 03 EUI 10	3	BSP 1/8	7,3	50	8	14
T107 03 EUI 13	3	BSP 1/4	7,3	53	11	14
T107 03 TUI 10	3	NPT 1/8	7,3	51	9	14
T107 03 TUI 13	3	NPT 1/4	7,3	54	12	14
T107 06 EUI 10	6	BSP 1/8	9,6	68	8	17
T107 06 EUI 13	6	BSP 1/4	9,6	70	10	17
T107 06 EUI 17	6	BSP 3/8	9,6	72	12	19
T107 06 TUI 10	6	NPT 1/8	9,6	69	9	17
T107 06 TUI 13	6	NPT 1/4	9,6	72	12	17
T107 06 TUI 17	6	NPT 3/8	9,6	74	14	19
T107 08 EUI 13	8	BSP 1/4	13,6	83	11	24
T107 08 EUI 17	8	BSP 3/8	13,6	84	12	24
T107 08 EUI 21	8	BSP 1/2	13,6	86	14	24
T107 08 TUI 13	8	NPT 1/4	13,6	84	12	24
T107 08 TUI 17	8	NPT 3/8	13,6	86	14	24
T107 08 TUI 21	8	NPT 1/2	13,6	89	17	24
T107 11 EUI 17	11	BSP 3/8	16,6	95	12	30
T107 11 EUI 21	11	BSP 1/2	16,6	96	13	30
T107 11 EUI 26	11	BSP 3/4	16,6	99	16	30
T107 11 TUI 17	11	NPT 3/8	16,6	97	14	30
T107 11 TUI 21	11	NPT 1/2	16,6	99	17	30
T107 11 TUI 26	11	NPT 3/4	16,6	101	19	30
T107 19 EUI 26	19	BSP 3/4	25,6	135	16	41
T107 19 EUI 33	19	BSP 1	25,6	139	20	41
T107 19 TUI 26	19	NPT 3/4	25,6	138	19	41
T107 19 TUI 33	19	NPT 1	25,6	143	24	41

## T107 Series

tekno-met

Female Thread Plug with Valve / Nippel mit Innengewinde mit Ventil




ORDER NO / BESTELL NR. Double Valve/Doppelt Ventil -O+O-	SIZE GRÖßE	ØD2	ØD1	L1	Hex
T107 03 DUI 10	3	BSP 1/8	7,3	51	14
T107 03 NUI 10	3	NPT 1/8	7,3	51	14
T107 03 UUI 1120	3	UNF 7/16-20	7,3	56	14
T107 06 DUI 10	6	BSP 1/8	9,6	65	17
T107 06 DUI 13	6	BSP 1/4	9,6	72	17
T107 06 DUI 17	6	BSP 3/8	9,6	72	22
T107 06 NUI 10	6	NPT 1/8	9,6	65	17
T107 06 NUI 13	6	NPT 1/4	9,6	72	17
T107 06 NUI 17	6	NPT 3/8	9,6	72	22
T107 06 DUI 1412	6	M14x1,25	9,6	72	19
T107 06 UUI 1420	6	UNF 9/16-20	9,6	72	17
T107 08 DUI 13	8	BSP 1/4	13,6	80	24
T107 08 DUI 17	8	BSP 3/8	13,6	80	24
T107 08 DUI 21	8	BSP 1/2	13,6	82	24
T107 08 NUI 13	8	NPT 1/4	13,6	80	24
T107 08 NUI 17	8	NPT 3/8	13,6	80	24
T107 08 NUI 21	8	NPT 1/2	13,6	84	24
T107 08 UUI 1916	8	UNF 3/4-16	13,6	84	24
T107 11 DUI 13	11	BSP 1/4	16,6	90	30
T107 11 DUI 17	11	BSP 3/8	16,6	90	30
T107 11 DUI 21	11	BSP 1/2	16,6	94	30
T107 11 DUI 26	11	BSP 3/4	16,6	99	34
T107 11 NUI 17	11	NPT 3/8	16,6	90	30
T107 11 NUI 21	11	NPT 1/4	16,6	94	30
T107 11 NUI 26	11	NPT 3/4	16,6	99	34
T107 11 UUI 2214	11	UNF 7/8-14	16,6	97	30
T107 19 DUI 26	19	BSP 3/4	25,6	132	41
T107 19 DUI 33	19	BSP 1	25,6	139	41
T107 19 NUI 26	19	NPT 3/4	25,6	132	41
T107 19 NUI 33	19	NPT 1	25,6	139	41
T107 19 UUI 3312	19	UNF 1-5/16-12	25,6	135	41

## T107 Series




Standard Hose Tail Plug with Valve / Nippel mit gerader Standard - Schlauchtülle mit Ventil



ORDER NO / BESTELL NR. Double Valve/Doppelt Ventil -O+O-	SIZE GRÖßE	ØD2	ØD1	L1	L2
T107 03 HUB 04	3	4 mm	7,3	64	23
T107 03 HUB 06	3	6 mm	7,3	64	23
T107 06 HUB 06	6	6 mm	9,6	87	23
T107 06 HUB 08	6	8 mm	9,6	87	23
T107 06 HUB 10	6	10 mm	9,6	87	26
T107 06 HUB 13	6	13 mm	9,6	89	26
T107 08 HUB 08	8	8 mm	13,6	98	28
T107 08 HUB 10	8	10 mm	13,6	98	28
T107 08 HUB 13	8	13 mm	13,6	98	28
T107 08 HUB 16	8	16 mm	13,6	102	33
T107 11 HUB 13	11	13 mm	16,6	102	28
T107 11 HUB 16	11	16 mm	16,6	102	28
T107 11 HUB 19	11	19 mm	16,6	120	33
T107 19 HUB 19	19	19 mm	25,6	191	53
T107 19 HUB 25	19	25 mm	25,6	193	53




Plastic Hose Plug with Valve / Nippel mit Kunststoffschlauch mit Ventil



ORDER NO / BESTELL NR. Double Valve/Doppelt Ventil -O+O-	SIZE GRÖßE	ØD2	ØD1	L1	Hex
T107 03 PUB 0406	3	4x6 mm	7,3	56	14
T107 03 PUB 0608	3	6x8 mm	7,3	56	14
T107 06 PUB 0608	6	6x8 mm	9,6	91	17
T107 06 PUB 0810	6	8x10 mm	9,6	91	17
T107 08 PUB 0810	8	8x10 mm	13,6	103	19
T107 08 PUB 1012	8	10x12 mm	13,6	103	19




Copper Tube Plug with Valve / Nippel mit Kupferrohranschluss mit Ventil



ORDER NO / BESTELL NR. Double Valve/Doppelt Ventil -O+O-	SIZE GRÖßE	ØD2	ØD1	L1	Hex
T107 03 CUB 0406	3	4x6 mm	7,3	56	14
T107 03 CUB 0608	3	6x8 mm	7,3	56	14
T107 06 CUB 0608	6	6x8 mm	9,6	91	17
T107 06 CUB 0810	6	8x10 mm	9,6	91	17
T107 08 CUB 0810	8	8x10 mm	13,6	103	24
T107 08 CUB 1012	8	10x12 mm	13,6	103	24



Stainless Steel Plug with Valve / Nippel mit Edelstahlrohranschluss mit Ventil




ORDER NO / BESTELL NR. Double Valve/Doppelt Ventil -O+O-	SIZE GRÖßE	ØD2	ØD1	L1	Hex
T107 03 SUB 06	3	6 mm	7,3	59	14
T107 03 SUB 08	3	8 mm	7,3	60	14
T107 06 SUB 06	6	6 mm	9,6	81	14
T107 06 SUB 08	6	8 mm	9,6	81	14
T107 06 SUB 10	6	10 mm	9,6	81	17
T107 08 SUB 10	8	10 mm	13,6	91	24
T107 08 SUB 12	8	12 mm	13,6	92	24

## T107A Series

tekno-met


Male Thread Socket / Kupplung mit Aussengewinde



ORDER NO / BESTELL NR. With Valve/Mit Ventil ☉+←	SIZE GRÖßE	ØD1	ØD2	L1	L2	Hex
T107A 06 EGB 10	6	BSP 1/8	22	52	8	20
T107A 06 EGB 13	6	BSP 1/4	22	54	10	20
T107A 06 EGB 17	6	BSP 3/8	22	54	10	20
T107A 06 EGB 21	6	BSP 1/2	22	56	12	22
T107A 06 TGB 13	6	NPT 1/4	22	56	12	20
T107A 06 TGB 17	6	NPT 3/8	22	57	13	20
T107A 08 EGB 13	8	BSP 1/4	27	69	10	24
T107A 08 EGB 17	8	BSP 3/8	27	69	10	24
T107A 08 EGB 21	8	BSP 1/2	27	71	12	24
T107A 08 TGB 17	8	NPT 3/8	27	71	13	24
T107A 08 TGB 21	8	NPT 1/2	27	76	17	24
T107A 08 EGB 17	11	BSP 3/8	33	82	10	30
T107A 08 EGB 21	11	BSP 1/2	33	86	12	30
T107A 08 EGB 26	11	BSP 3/4	33	88	16	30
T107A 08 TGB 21	11	NPT 1/2	33	89	17	30

tekno-met


Female Thread Socket / Kupplung mit Innengewinde



ORDER NO / BESTELL NR. With Valve/Mit Ventil ☉+←	SIZE GRÖßE	ØD1	ØD2	L1	Hex
T107A 06 DGB 10	6	BSP 1/8	22	8	20
T107A 06 DGB 13	6	BSP 1/4	22	10	20
T107A 06 DGB 17	6	BSP 3/8	22	10	20
T107A 06 DGB 21	6	BSP 1/2	22	12	24
T107A 06 NGB 13	6	NPT 1/4	22	12	20
T107A 06 NGB 17	6	NPT 3/8	22	13	20
T107A 08 DGB 13	8	BSP 1/4	27	10	24
T107A 08 DGB 17	8	BSP 3/8	27	10	24
T107A 08 DGB 21	8	BSP 1/2	27	12	24
T107A 08 NGB 17	8	NPT 3/8	27	13	24
T107A 08 NGB 21	8	NPT 1/2	27	17	24
T107A 11 DGB 17	11	BSP 3/8	33	10	30
T107A 11 DGB 21	11	BSP 1/2	33	12	30
T107A 11 DGB 26	11	BSP 3/4	33	16	30
T107A 11 NGB 21	11	NPT 1/2	33	17	30

tekno-met

Standard Hose Tail Socket / Kupplung mit gerader Standard - Schlauchfülle




ORDER NO / BESTELL NR. With Valve/Mit Ventil ☉+←	SIZE GRÖßE	ØD2	ØD1	L1	L2
T107A 06 HGB 06	6	6 mm	22	67	23
T107A 06 HGB 08	6	8 mm	22	67	23
T107A 06 HGB 10	6	10 mm	22	70	26
T107A 06 HGB 13	6	13 mm	22	70	26
T107A 08 HGB 08	8	08 mm	27	82	23
T107A 08 HGB 10	8	10 mm	27	85	26
T107A 08 HGB 13	8	13 mm	27	85	26
T107A 08 HGB 16	8	16 mm	27	85	26
T107A 11 HGB 13	11	13 mm	33	93	26
T107A 11 HGB 16	11	16 mm	33	93	26
T107A 11 HGB 19	11	19 mm	33	97	30

## T107A Series

tekno-met


Male Thread Plug / Nippel mit Aussengewinde



ORDER NO / BESTELL NR. Without Valve/Ohne Ventil	SIZE GRÖÖE	ØD2	ØD1	L1	L2	Hex
T107A 06 EUF 10	6	BSP 1/8	7,5	44	8	14
T107A 06 EUF 13	6	BSP 1/4	7,5	47	11	14
T107A 06 EUF 17	6	BSP 3/8	7,5	52	12	19
T107A 06 TUF 13	6	NPT 1/4	7,5	47	12	14
T107A 08 EUF 13	8	BSP 1/4	11	55	11	17
T107A 08 EUF 17	8	BSP 3/8	11	57	12	19
T107A 08 EUF 21	8	BSP 1/2	11	61	14	24
T107A 08 TUF 17	8	NPT 3/8	11	57	12	19
T107A 08 TUF 21	8	NPT 1/2	11	64	17	24
T107A 11 EUF 17	11	BSP 3/8	14	63	12	19
T107A 11 EUF 21	11	BSP 1/2	14	68	15	24
T107A 11 EUF 26	11	BSP 3/4	14	70	17	30
T107A 11 TUF 21	11	NPT 1/2	14	67	17	24

tekno-met


Female Thread Plug / Nippel mit Innengewinde



ORDER NO / BESTELL NR. Without Valve/Ohne Ventil	SIZE GRÖÖE	ØD1	ØD2	L1	Hex
T107A 06 DUF 10	6	BSP 1/8	7,5	42	14
T107A 06 DUF 13	6	BSP 1/4	7,5	47	17
T107A 06 DUF 17	6	BSP 3/8	7,5	50	22
T107A 06 NUF 13	6	NPT 1/4	7,5	48	14
T107A 06 NUF 17	6	NPT 3/8	7,5	49	17
T107A 08 DUF 13	8	BSP 1/4	11	56	17
T107A 08 DUF 17	8	BSP 3/8	11	58	22
T107A 08 DUF 21	8	BSP 1/2	11	59	27
T107A 08 NUF 17	8	NPT 3/8	11	58	22
T107A 08 NUF 21	8	NPT 1/2	11	59	27
T107A 11 DUF 17	11	BSP 3/8	14	62	22
T107A 11 DUF 21	11	BSP 1/2	14	66	27
T107A 11 DUF 26	11	BSP 3/4	14	69	32
T107A 11 NUF 21	11	NPT 1/2	14	67	27

tekno-met

Standard Hose Tail Plug/ Nippel mit gerader Standard - Schlauchtülle



ORDER NO / BESTELL NR. Without Valve/Ohne Ventil	SIZE GRÖÖE	ØD2	ØD1	L1	L2
T107A 06 HUF 06	6	6 mm	7,5	56	23
T107A 06 HUF 08	6	8 mm	7,5	56	23
T107A 06 HUF 10	6	10 mm	7,5	56	23
T107A 06 HUF 13	6	13 mm	7,5	60	26
T107A 08 HUF 08	8	8 mm	11	62	23
T107A 08 HUF 10	8	10 mm	11	62	23
T107A 08 HUF 13	8	13 mm	11	62	26
T107A 08 HUF 16	8	16 mm	11	66	26
T107A 11 HUF 10	11	10 mm	14	71	26
T107A 11 HUF 13	11	13 mm	14	71	26
T107A 11 HUF 16	11	16 mm	14	72	26
T107A 11 HUF 19	11	19 mm	14	85	37