

tekno-met

Hexagon Nut - Hose Tail / Sechskantmutter - Schlauchtülle



ORDER NO / BESTELL NR.	CONNECTION ANSCHLÜSSE	LENGTH LÄNGE	SW
TDS 13	BSP 1/4	15	17
TDS 17	BSP 3/8	16	19
TDS 21	BSP 1/2	20	24

tekno-met


Hose Tail / Schlauchende



ORDER NO / BESTELL NR.	CONNECTION ANSCHLÜSSE	CONNECTION ANSCHLÜSSE	LENGTH LÄNGE
TKR 13/04	BSP 1/4	4 mm	31
TKR 13/09	BSP 1/4	9 mm	36
TKR 17/04	BSP 3/8	4 mm	31
TKR 17/06	BSP 3/8	6 mm	36
TKR 17/09	BSP 3/8	9 mm	36
TKR 21/06	BSP 1/2	6 mm	38
TKR 21/09	BSP 1/2	9 mm	38
TKR 21/13	BSP 1/2	13 mm	44

tekno-met

Male Thread Connection - Hose Tail / Nipple mit Aussengewinde - Schlauchanschluss




ORDER NO / BESTELL NR.	CONNECTION ANSCHLÜSSE	CONNECTION ANSCHLÜSSE	LENGTH LÄNGE	SW
TEH 06/04	M6	4 mm	23	8
TEH 10/04	BSP 1/8	4 mm	28	11
TEH 10/06	BSP 1/8	6 mm	30	11
TEH 10/08	BSP 1/8	8 mm	30	11
TEH 10/09	BSP 1/8	9 mm	30	11
TEH 13/04	BSP 1/4	4 mm	31	15
TEH 13/06	BSP 1/4	6 mm	31	15
TEH 13/08	BSP 1/4	8 mm	31	15
TEH 13/09	BSP 1/4	9 mm	31	15
TEH 13/10	BSP 1/4	10 mm	37	15
TEH 13/13	BSP 1/4	13 mm	37	15
TEH 17/06	BSP 3/8	6 mm	31	19
TEH 17/08	BSP 3/8	8 mm	31	19
TEH 17/09	BSP 3/8	9 mm	31	19
TEH 17/10	BSP 3/8	10 mm	37	19
TEH 17/13	BSP 3/8	13 mm	37	19
TEH 17/16	BSP 3/8	16 mm	42	19
TEH 21/06	BSP 1/2	6 mm	34	22
TEH 21/08	BSP 1/2	8 mm	34	22
TEH 21/09	BSP 1/2	9 mm	34	22
TEH 21/10	BSP 1/2	10 mm	40	22
TEH 21/13	BSP 1/2	13 mm	40	22
TEH 21/16	BSP 1/2	16 mm	46	22
TEH 21/19	BSP 1/2	19 mm	46	22
TEH 26/13	BSP 3/4	13 mm	45	27
TEH 26/16	BSP 3/4	16 mm	49	27
TEH 26/19	BSP 3/4	19 mm	49	27
TEH 26/25	BSP 1	25 mm	54	27
TEH 33/19	BSP 1	19 mm	49	36
TEH 33/25	BSP 1	25 mm	54	36

## Accessories / Zubehör

tekno-met


Female Thread Connection - Hose Tail / Nipple mit Innengewinde - Schlauchanschluss



ORDER NO / BESTELL NR.	CONNECTION ANSCHLÜSSE	CONNECTION ANSCHLÜSSE	LENGTH LÄNGE	SW
TDH 10/06	BSP 1/8	6 mm	27	11
TDH 10/08	BSP 1/8	8 mm	27	11
TDH 10/09	BSP 1/8	9 mm	27	11
TDH 13/06	BSP 1/4	6 mm	30	17
TDH 13/08	BSP 1/4	8 mm	30	17
TDH 13/09	BSP 1/4	9 mm	30	17
TDH 13/10	BSP 1/4	10 mm	36	17
TDH 13/13	BSP 1/4	13 mm	36	17
TDH 17/06	BSP 3/8	6 mm	30	19
TDH 17/08	BSP 3/8	8 mm	30	19
TDH 17/09	BSP 3/8	9 mm	30	19
TDH 17/10	BSP 3/8	10 mm	36	19
TDH 17/13	BSP 3/8	13 mm	36	19
TDH 21/06	BSP 1/2	6 mm	33	24
TDH 21/08	BSP 1/2	8 mm	33	24
TDH 21/09	BSP 1/2	9 mm	33	24
TDH 21/10	BSP 1/2	10 mm	39	24
TDH 21/13	BSP 1/2	13 mm	39	24
TDH 21/16	BSP 1/2	16 mm	43	24

tekno-met

Male Thread Adapter / Aussengewinde Doppelnippel




ORDER NO / BESTELL NR.	CONNECTION ANSCHLÜSSE	CONNECTION ANSCHLÜSSE	LENGTH LÄNGE	SW
TEE 10/10	BSP 1/8	BSP 1/8	21	17
TEE 10/17	BSP 1/8	BSP 3/8	25	19
TEE 13/13	BSP 1/4	BSP 1/4	23	17
TEE 13/17	BSP 1/4	BSP 3/8	23	19
TEE 13/21	BSP 1/4	BSP 1/2	29	24
TEE 17/17	BSP 3/8	BSP 3/8	23	19
TEE 17/21	BSP 3/8	BSP 1/2	29	24
TEE 17/26	BSP 3/8	BSP 3/4	36	32
TEE 21/21	BSP 1/2	BSP 1/2	30	24
TEE 21/26	BSP 1/2	BSP 3/4	36	32
TEE 21/33	BSP 1/2	BSP 1	40	36
TEE 26/26	BSP 3/4	BSP 3/4	40	32
TEE 26/33	BSP 3/4	BSP 1	40	36
TEE 33/33	BSP 1	BSP 1	42	36

## Accessories / Zubehör

tekno-met


Female Thread Connection - Hose Tail / Nipple mit Innengewinde - Schlauchanschluss



ORDER NO / BESTELL NR.	Male Aussengewinde	Female Innengewinde	LENGTH LÄNGE	SW
TKD 05/10	M5	BSP 1/8	11	14
TKD 05/13	M5	BSP 1/4	11	17
TKD 10/13	BSP 1/8	BSP 1/4	11	17
TKD 10/17	BSP 1/8	BSP 3/8	13	19
TKD 10/21	BSP 1/8	BSP 1/2	18	24
TKD 13/17	BSP 1/4	BSP 3/8	14	19
TKD 13/21	BSP 1/4	BSP 1/2	18	24
TKD 17/21	BSP 3/8	BSP 1/2	18	24
TKD 17/26	BSP 3/8	BSP 3/4	18	32
TKD 21/26	BSP 1/2	BSP 3/4	24	32
TKD 21/33	BSP 1/2	BSP 1	24	36
TKD 26/33	BSP 3/4	BSP 1	24	36

tekno-met

Reducer / Reduzinippel



ORDER NO / BESTELL NR.	CONNECTION ANSCHLÜSSE	CONNECTION ANSCHLÜSSE	LENGTH LÄNGE	SW
TBD 5/5	M5	M5	15	8
TBD 5/10	M5	BSP 1/8	17	14
TBD 10/05	BSP 1/8	M5	17	14
TBD 10/10	BSP 1/8	BSP 1/8	23	14
TBD 10/13	BSP 1/8	BSP 1/4	26	17
TBD 13/10	BSP 1/4	BSP 1/8	28	17
TBD 13/13	BSP 1/4	BSP 1/4	28	17
TBD 13/17	BSP 1/4	BSP 3/8	29	19
TBD 17/13	BSP 3/8	BSP 1/4	29	19
TBD 17/17	BSP 3/8	BSP 3/8	29	19
TBD 17/21	BSP 3/8	BSP 1/2	25	24
TBD 21/17	BSP 1/2	BSP 3/8	34	24
TBD 21/21	BSP 1/2	BSP 1/2	34	24
TBD 21/26	BSP 1/2	BSP 3/4	31	32

tekno-met

Sleeve / Muffe



ORDER NO / BESTELL NR.	CONNECTION ANSCHLÜSSE	CONNECTION ANSCHLÜSSE	LENGTH LÄNGE	SW
TAR 05	M5	M5	12	8
TAR 10	BSP 1/8	BSP 1/8	22	14
TAR 13	BSP 1/4	BSP 1/4	26	17
TAR 17	BSP 3/8	BSP 3/8	26	22
TAR 21	BSP 1/2	BSP 1/2	30	27
TAR 26	BSP 3/4	BSP 3/4	36	32
TAR 33	BSP 1	BSP 1	40	41

## Accessories / Zubehör

tekno-met

Hose Mndern / Schlauchverbindungsrippel



ORDER NO / BESTELL NR.	CONNECTION ANSCHLÜSSE	CONNECTION ANSCHLÜSSE	LENGTH LÄNGE
TAUK 04/04	4 mm	4 mm	63
TAUK 06/06	6 mm	6 mm	72
TAUK 08/08	8 mm	8 mm	72
TAUK 09/09	9 mm	9 mm	72
TAUK 10/10	10 mm	10 mm	72
TAUK 13/13	13 mm	13 mm	72

tekno-met

Hose Mndern / Schlauchverbindungsrippel



ORDER NO / BESTELL NR.	CONNECTION ANSCHLÜSSE	CONNECTION ANSCHLÜSSE	LENGTH LÄNGE
TAUK 04/04	4 mm	4 mm	50
TAUK 06/06	6 mm	6 mm	50
TAUK 08/08	8 mm	8 mm	50
TAUK 09/09	9 mm	9 mm	50
TAUK 10/10	10 mm	10 mm	50
TAUK 13/13	13 mm	13 mm	60
TAUK 16/16	16 mm	16 mm	60
TAUK 19/19	19 mm	19 mm	60

tekno-met

Stud Coupling / Schlauchanschluss mit Verschraubung



ORDER NO / BESTELL NR.	CONNECTION ANSCHLÜSSE	CONNECTION ANSCHLÜSSE	SW
TPU 05/04	M5	3x4 mm	7
TPU 05/05	M5	3x5 mm	7
TPU 05/06	M5	3x6 mm	7
TPU 10/06	BSP 1/8	4x6 mm	12
TPU 10/08	BSP 1/8	6x8 mm	12
TPU 13/06	BSP 1/4	4x6 mm	17
TPU 13/08	BSP 1/4	6x8 mm	17
TPU 13/10	BSP 1/4	8x10 mm	17
TPU 13/12	BSP 1/4	9x12 mm	17
TPU 17/08	BSP 3/8	6x8 mm	19
TPU 17/10	BSP 3/8	8x10 mm	19
TPU 17/12	BSP 3/8	9x12 mm	19

## Accessories / Zubehör

tekno-met

Fixed Spring Guard / Schlauchanschluss mit Knickfeder



ORDER NO / BESTELL NR.	CONNECTION ANSCHLÜSSE	CONNECTION ANSCHLÜSSE	SW
TPY 05/09	M5	4x6 mm	10
TPY 10/06	BSP 1/8	4x6 mm	12
TPY 10/08	BSP 1/8	6x8 mm	12
TPY 13/06	BSP 1/4	4x6 mm	17
TPY 13/08	BSP 1/4	6x8 mm	17
TPY 13/10	BSP 1/4	8x10 mm	17
TPY 13/12	BSP 1/4	9x12 mm	17
TPY 17/08	BSP 3/8	6x8 mm	19
TPY 17/10	BSP 3/8	8x10 mm	19
TPY 17/12	BSP 3/8	9x12 mm	19

tekno-met


Fixed Spring Guard with Nut / Schlauchanschluss mit Knickfeder



ORDER NO / BESTELL NR.	CONNECTION ANSCHLÜSSE	CONNECTION ANSCHLÜSSE	LENGTH LÄNGE
TYS 06	M10x1	4x6 mm	94
TYS 08	M12x1	6x8 mm	97
TYS 10	M16x1	8x10 mm	110
TYS 12	M16x1	9x12 mm	114

tekno-met

Tube Nut / Reduzier Nippel für Schlauchanschluss



ORDER NO / BESTELL NR.	CONNECTION ANSCHLÜSSE	CONNECTION ANSCHLÜSSE	LENGTH LÄNGE	SW
TPS 07/04	M7x0,5	3x4 mm	8,5	-
TPS 07/05	M7x0,5	3x5 mm	8,5	-
TPS 08/06	M8x0,75	4x6 mm	8,5	-
TPS 10/06	M10x1	4x6 mm	11	12
TPS 12/08	M12x1	6x8 mm	11	14
TPS 16/10	M16x1	8x10 mm	12,5	17
TPS 16/12	M16x1	9x12 mm	12,5	17

tekno-met

Bulkhead Coupling / Schlauchanschluss Beide seite mit Verschraubung



ORDER NO / BESTELL NR.	CONNECTION ANSCHLÜSSE	CONNECTION ANSCHLÜSSE	LENGTH LÄNGE
TPE 05/04	M5	3x4 mm	34
TPE 05/05	M5	3x5 mm	34
TPE 10/06	M10	4x6 mm	38
TPE 10/08	M10	6x8 mm	46
TPE 14/10	M14	8x10 mm	46

## Accessories / Zubehör

tekno-met


Locknut / Kontermutter



ORDER NO / BESTELL NR.	CONNECTION ANSCHLÜSSE	SW
TSG 10	BSP 1/8	15
TSG 13	BSP 1/4	17
TSG 17	BSP 3/8	22
TSG 21	BSP 1/2	27
TSG 26	BSP 3/4	30
TSM 06	M6x0,75	9
TSM 07	M7x0,5	11
TSM 08	M8x0,5	12
TSM 08 - 01	M8x1	12
TSM 10	M10x1	14
TSM 12	M12x1	17
TSM 14	M14x1	19
TSM 16	M16x1	22
TSM 20	M20x1	25

tekno-met


Female Stud Coupling / Schlauchanschluss Mutter



ORDER NO / BESTELL NR.	CONNECTION ANSCHLÜSSE	CONNECTION ANSCHLÜSSE	SW
TSV 10/06	BSP 1/8	4x6 mm	14
TSV 13/06	BSP 1/4	4x6 mm	17
TSV 13/08	BSP 1/4	6x8 mm	17
TSV 13/10	BSP 1/4	8x10 mm	17
TSV 17/08	BSP 3/8	6x8 mm	19
TSV 17/12	BSP 3/8	9x12 mm	19

tekno-met

Hose Connection / Schlauchbrücke




**Brass - Nickel Plated**  
**Messing - Vernickelt**

ORDER NO / BESTELL NR.	ØD	ØD1	LENGTH LÄNGE
TUHU 06	6 mm	4	52
TUHU 08	8 mm	6	52
TUHU 09	9 mm	7	52
TUHU 10	10 mm	8	52
TUHU 13	13 mm	10	64
TUHU 16	16 mm	12	64
TUHU 19	19 mm	15	64
TUHU 23	23 mm	19	64

## Accessories / Zubehör

tekno-met

Male Thread Hose Tail / Schlauch Nippel mit Aussengewinde




**Brass - Nickel Plated**  
**Messing - Vernickelt**

ORDER NO BESTELL NR.	THREAD GEWINDE	ØD	ØD1	L	L1	L2	SW
TTAF 10.04	BSP 1/8	4	3	43	8	28	14
TTAF 10.06	BSP 1/8	6	4	43	8	28	14
TTAF 10.08	BSP 1/8	8	5,5	43	8	28	14
TTAF 10.10	BSP 1/8	10	7	43	8	28	14
TTAF 13.06	BSP 1/4	6	4	45	11	28	17
TTAF 13.08	BSP 1/4	8	5,5	45	11	28	17
TTAF 13.09	BSP 1/4	9	6	45	11	28	17
TTAF 13.10	BSP 1/4	10	7	45	11	28	17
TTAF 13.13	BSP 1/4	13	9	51	11	33	17
TTAF 17.08	BSP 3/8	8	5,5	45	11	28	19
TTAF 17.10	BSP 3/8	10	7	45	11	28	19
TTAF 17.13	BSP 3/8	13	9	52	11	33	19
TTAF 17.16	BSP 3/8	16	11	52	11	33	19
TTAF 21.13	BSP 1/2	13	9	54	14	33	22
TTAF 21.16	BSP 1/2	16	11	54	14	33	22
TTAF 26.16	BSP 3/4	16	11	58	16	33	30

tekno-met

Male Thread Push Lock Hose Tail / Schlauch Nippel mit Aussengewinde - Push Lock




**Brass - Nickel Plated**  
**Messing - Vernickelt**

ORDER NO BESTELL NR.	THREAD GEWINDE	ØD mm	ØD inch	ØD1	L	L1	SW
TEHF 13.06	BSP 1/4	6,5	1/4	5	39	24	17
TEHF 13.10	BSP 1/4	9,7	3/8	7	39	24	17
TEHF 13.13	BSP 1/4	12,7	1/2	9	41	28	17
TEHF 17.10	BSP 3/8	9,7	3/8	7	41	28	19
TEHF 17.13	BSP 3/8	12,7	1/2	10	45	28	19
TEHF 17.16	BSP 3/8	15,9	5/8	12	58	38	19
TEHF 21.13	BSP 1/2	12,7	1/2	10	49	28	22
TEHF 21.16	BSP 1/2	15,9	5/8	12	60	38	22
TEHF 26.16	BSP 3/4	15,9	5/8	12	60	38	30
TEHF 26.19	BSP 3/4	18,9	3/4	16	60	38	30

tekno-met

Male Thread Hose Tail - Long / Schlauch Nippel mit Aussengewinde - Langer



**Brass - Nickel Plated**  
**Messing - Vernickelt**

ORDER NO BESTELL NR.	THREAD GEWINDE	ØD	ØD1	L	L1	L2	SW
TEHL 17.13	BSP 3/8	13	9	72	12	53	19
TEHL 17.16	BSP 3/8	16	11	72	12	53	22
TEHL 21.13	BSP 1/2	13	9	74	14	53	22
TEHL 21.16	BSP 1/2	16	11	74	14	53	22
TEHL 21.19	BSP 1/2	19	15	74	14	53	22
TEHL 26.19	BSP 3/4	19	15	78	16	53	30
TEHL 26.25	BSP 3/4	25	19	80	16	53	30
TEHL 33.19	BSP 1	19	15	84	20	53	36
TEHL 33.25	BSP 1	25	19	84	20	53	36

## Accessories / Zubehör



ORDER NO BESTELL NR.	THREAD GEWINDE	ØD (ID)	LENGTH LÄNGE	SW
TAFM 8X38	M8x1,25	5	38	13
TAFM 8X60	M8x1,25	5	60	13
TAFM 8X80	M8x1,25	5	80	13
TAFM 8X100	M8x1,25	5	100	13
TAFM 10X38	M10x1,5	6	38	13
TAFM 10X60	M10x1,5	6	60	13
TAFM 10X80	M10x1,5	6	80	13
TAFM 10X100	M10x1,5	6	100	13
TAFM 10X120	M10x1,5	6	120	13
TAFM 10X150	M10x1,5	6	150	13
TAFM 12X38	M12x1,75	7	38	13
TAFM 12X60	M12x1,75	7	60	13
TAFM 12X80	M12x1,75	7	80	13
TAFM 12X100	M12x1,75	7	100	13
TAFM 12X120	M12x1,75	7	120	13
TAFM 12X150	M12x1,75	7	150	13
TAFM 14X38	M14x2,0	7	38	14
<hr/>				
TAF 10x38	BSP 1/8	6	38	13
TAF 10x60	BSP 1/8	6	60	13
TAF 10x80	BSP 1/8	6	80	13
TAF 10x100	BSP 1/8	6	100	13
TAF 10x120	BSP 1/8	6	120	13
TAF 10x150	BSP 1/8	6	150	13
TAF 13x38	BSP 1/4	8	38	14
TAF 13x60	BSP 1/4	8	60	14
TAF 13x80	BSP 1/4	8	80	14
TAF 13x100	BSP 1/4	8	100	14
TAF 13x120	BSP 1/4	8	120	14
TAF 13x150	BSP 1/4	8	150	14



## Accessories / Zubehör

tekno-met

Adapter 90° / Adapter 90°



ORDER NO / BESTELL NR.	FEMALE INNENGEWINDE	MALE AUSSENGEWINDE
TDR 10X90	BSP 1/8	BSP 1/8
TDR 13X90	BSP 1/4	BSP 1/4
TDR 17X90	BSP 3/8	BSP 3/8
TDR 21X90	BSP 1/2	BSP 1/2
TDR 26X90	BSP 3/4	BSP 3/4
TDR 33X90	BSP 1	BSP 1
TDR 42X90	BSP 1-1/4	BSP 1-1/4
TDR 48X90	BSP 1-1/2	BSP 1-1/2
TDR 60X90	BSP 2	BSP 2

tekno-met


Adapter 45° / Adapter 45°



ORDER NO / BESTELL NR.	FEMALE INNENGEWINDE	MALE AUSSENGEWINDE
TDR 10X45	BSP 1/8	BSP 1/8
TDR 13X45	BSP 1/4	BSP 1/4
TDR 17X45	BSP 3/8	BSP 3/8
TDR 21X45	BSP 1/2	BSP 1/2
TDR 26X45	BSP 3/4	BSP 3/4
TDR 33X45	BSP 1	BSP 1
TDR 42X45	BSP 1-1/4	BSP 1-1/4
TDR 48X45	BSP 1-1/2	BSP 1-1/2
TDR 60X45	BSP 2	BSP 2

tekno-met


Female Male Adapter / Aussengewinde und Innengewinde Spitzenadapter



ORDER NO / BESTELL NR.	ØD	ØD1	L	L1	L2	SW
TKDZ 10X13	BSP 1/8	BSP 1/4	25	17	9	15
TKDZ 13X17	BSP 1/4	BSP 3/8	27,5	19	9	20
TKDZ 21X17	BSP 1/2	BSP 3/8	35	25	15	25

tekno-met

Male - Hose Adapter / Aussengewinde Adapter



ORDER NO / BESTELL NR.	ØD	ØD1	ØD2	L	L1	SW
TBB 10X09	BSP 1/8	9 mm	6	27	20	15
TBB 13X13	BSP 1/4	13 mm	9	34	24	17
TBB 21X19	BSP 1/2	19 mm	13	47	32	24
TBB M08X09	M8x0,75	9 mm	6	27	20	15
TBB M10X09	M10x1	9 mm	6	27	20	15
TBB M14X13	M14x1,5	13 mm	9	34	24	17
TBB M24X19	M24x1,5	19 mm	13	47	32	24



ORDER NO / BESTELL NR.	Connection Anschlüsse	ORDER NO / BESTELL NR.	Connection Anschlüsse
<b>T001804</b>	1/8" - 4	<b>T003808</b>	3/8" - 8
<b>T001404</b>	1/4" - 4	<b>T001208</b>	1/2" - 8
<b>T001506</b>	M5 - 6	<b>T001810</b>	1/8" - 10
<b>T001806</b>	1/8" - 6	<b>T001410</b>	1/4" - 10
<b>T001406</b>	1/4" - 6	<b>T003810</b>	3/8" - 10
<b>T003806</b>	3/8" - 6	<b>T001210</b>	1/2" - 10
<b>T001206</b>	1/2" - 6	<b>T001412</b>	1/4" - 12
<b>T001808</b>	1/8" - 8	<b>T003812</b>	3/8" - 12
<b>T001408</b>	1/4" - 8	<b>T001212</b>	1/2" - 12



ORDER NO / BESTELL NR.	Connection Anschlüsse	ORDER NO / BESTELL NR.	Connection Anschlüsse
<b>T011804</b>	1/8" - 4	<b>T013808</b>	3/8" - 8
<b>T011404</b>	1/4" - 4	<b>T011208</b>	1/2" - 8
<b>T011506</b>	M5 - 6	<b>T011810</b>	1/8" - 10
<b>T011806</b>	1/8" - 6	<b>T011410</b>	1/4" - 10
<b>T011406</b>	1/4" - 6	<b>T013810</b>	3/8" - 10
<b>T013806</b>	3/8" - 6	<b>T011210</b>	1/2" - 10
<b>T011206</b>	1/2" - 6	<b>T011412</b>	1/4" - 12
<b>T011808</b>	1/8" - 8	<b>T013812</b>	3/8" - 12
<b>T011408</b>	1/4" - 8	<b>T011212</b>	1/2" - 12



ORDER NO / BESTELL NR.	Connection Anschlüsse	ORDER NO / BESTELL NR.	Connection Anschlüsse
<b>T021804</b>	1/8" - 4	<b>T023808</b>	3/8" - 8
<b>T021404</b>	1/4" - 4	<b>T021208</b>	1/2" - 8
<b>T021506</b>	M5 - 6	<b>T021810</b>	1/8" - 10
<b>T021806</b>	1/8" - 6	<b>T021410</b>	1/4" - 10
<b>T021406</b>	1/4" - 6	<b>T023810</b>	3/8" - 10
<b>T023806</b>	3/8" - 6	<b>T021210</b>	1/2" - 10
<b>T021206</b>	1/2" - 6	<b>T021412</b>	1/4" - 12
<b>T021808</b>	1/8" - 8	<b>T023812</b>	3/8" - 12
<b>T021408</b>	1/4" - 8	<b>T021212</b>	1/2" - 12



ORDER NO / BESTELL NR.	Connection Anschlüsse	ORDER NO / BESTELL NR.	Connection Anschlüsse
<b>T031804</b>	1/8" - 4	<b>T033808</b>	3/8" - 8
<b>T031404</b>	1/4" - 4	<b>T031208</b>	1/2" - 8
<b>T031506</b>	M5 - 6	<b>T031810</b>	1/8" - 10
<b>T031806</b>	1/8" - 6	<b>T031410</b>	1/4" - 10
<b>T031406</b>	1/4" - 6	<b>T033810</b>	3/8" - 10
<b>T033806</b>	3/8" - 6	<b>T031210</b>	1/2" - 10
<b>T031206</b>	1/2" - 6	<b>T031412</b>	1/4" - 12
<b>T031808</b>	1/8" - 8	<b>T033812</b>	3/8" - 12
<b>T031408</b>	1/4" - 8	<b>T031212</b>	1/2" - 12



ORDER NO / BESTELL NR.	Connection Anschlüsse	ORDER NO / BESTELL NR.	Connection Anschlüsse
<b>T050404</b>	Ø4	<b>T060604</b>	Ø6 - 4
<b>T050606</b>	Ø6	<b>T060806</b>	Ø8 - 6
<b>T051010</b>	Ø10	<b>T061008</b>	Ø10 - 8
<b>T051212</b>	Ø12	<b>T061210</b>	Ø12 - 10



ORDER NO / BESTELL NR.	Connection Anschlüsse	ORDER NO / BESTELL NR.	Connection Anschlüsse
<b>T070404</b>	Ø4	<b>T071010</b>	Ø10
<b>T070606</b>	Ø6	<b>T071212</b>	Ø12
<b>T070808</b>	Ø08		



ORDER NO / BESTELL NR.	Connection Anschlüsse	ORDER NO / BESTELL NR.	Connection Anschlüsse
<b>T080404</b>	Ø4	<b>T081010</b>	Ø10
<b>T080606</b>	Ø6	<b>T081212</b>	Ø12
<b>T080808</b>	Ø08		

## Distributor / Verteiler



2 Way Distributor with Male Thread / 2 Wege Verteiler mit Aussengewinde



ORDER NO / BESTELL NR.	MALE THREAD AUSSENGEWINDE	FEMALE THREAD INNENGEWINDE	SW
T2 EY 10	BSPT 1/8	BSP 1/8 x 2	14
T2 EY 13	BSPT 1/4	BSP 1/4 x 2	17
T2 EY 17	BSPT 3/8	BSP 3/8 x 2	22
T2 EY 21	BSPT 1/2	BSP 1/2 x 2	26



2 Way Distributor with Female Thread / 2 Wege Verteiler mit Innengewinde



ORDER NO / BESTELL NR.	FEMALE THREAD INNENGEWINDE	FEMALE THREAD INNENGEWINDE	SW
T2 DY 10	BSP 1/8	BSP 1/8 x 2	14
T2 DY 13	BSP 1/4	BSP 1/4 x 2	17
T2 DY 17	BSP 3/8	BSP 3/8 x 2	22
T2 DY 21	BSP 1/2	BSP 1/2 x 2	26



2 Way Distributor / 2 Wege Verteiler



ORDER NO / BESTELL NR.	FEMALE THREAD INNENGEWINDE	FEMALE THREAD INNENGEWINDE	LENGTH LÄNGE
T2 CY 17	BSP 3/8	BSP 3/8 x 2	47
T2 CY 21	BSP 1/2	BSP 1/2 x 2	55



3 Way Distributor / 3 Wege Verteiler



ORDER NO / BESTELL NR.	FEMALE THREAD INNENGEWINDE	FEMALE THREAD INNENGEWINDE	LENGTH LÄNGE
T3 CY 17	BSP 3/8	BSP 3/8 x 2	61